

81154WEP

EPDM 70 Shore A

TECHNICAL DATA SHEET

<i>PARAMETER</i>	<i>STANDARD</i>	<i>VALUE</i>	<i>UNITS</i>
DENSITY	ISO 2781	1,27 ± 0,03	g/cm ³
HARDNESS	ISO 7619-1	70,0 ± 5	Shore A
TENSILE STRENGTH	ISO 1421	≥5,0	MPa
ELONGATION AT BREAK	ISO 1421	≥240	%
COMPRESSION SET (22H/ 70 °C)	ISO 815	≤ 27	%
RECOVERING TO THE ACCELERATED AGEING (504H/55°C)	UNE EN 12365-4:2003	43,1 ± 0,4 (grade 2)	%
TEMPERATURE RANGE (CONTINUOUS)		70 to -15	°C
TEMPERATURE RANGE (PEAK)		120 to -30	°C
IGNITION TEMPERATURE		≥250	°C